

POISONOUS PLANTS

Guide to Poisonous and Toxic Plants

U.S. Army Center for Health Promotion and Preventive Medicine
Entomological Sciences Division and Sanitation and Hygiene Program
Aberdeen Proving Ground, MD 21010-5422

Approved for public release; distribution unlimited.

CONTENTS

CONTENTS 1

INTRODUCTION 2

TOXIC PLANTS 6

REFERENCES 66

POISON CONTROL CENTER PHONE NUMBERS 67

INDEX 71

USAEHA TECHNICAL GUIDE NO. 196

GUIDE TO POISONOUS AND TOXIC PLANTS

INTRODUCTION

Purpose

This technical guide (TG) supplements Army Regulation (AR) 608-10, *Child Development Services*. Appendix C of AR 608-10 provides a list of toxic plants which are not permitted either indoors or outdoors of the Child Development Center. The list contains no descriptions of the plants, no distribution information, and no indication as to what part of the plant is poisonous. This TG provides pictures, common names, descriptions, toxic parts of the plants, symptoms of poisoning and distribution maps of those plants normally found in the wild.

Many of the names of the poisonous and toxic plants are underlined. These underlined names reflect those names which are listed in AR 608-10. There are several plants listed in AR 608-10 for which we can find no evidence of toxicity. These are Arrowhead, Betel Nut Palm, Periwinkle, and Primrose. In addition, we have added some plants not listed in AR 608-10 which might reasonably be found on or near Child Development Centers. These include:

- Baneberry
- Buttercup
- Candelabra Cactus
- Cowslip
- Coyotillo
- Golden Chain
- Magnolia
- Poinsettia
- Poison Hemlock
- Pokeweed
- Potato
- Skunk Cabbage
- Snow-on-the-Mountain

We have arranged the plants in categories based on the location in which they may be found. These categories are House Plants, Garden Plants, Ornamental Plants and Wild Plants. In some instances, certain plants are found in more than one location. For these, we have placed the plant in the category where it is most likely to be found. However, the index provides both common names and scientific names for all of the plants and the page on which their description is found. This guide is presently limited to plants found in the continental U.S. (CONUS). However, locations outside the continental U.S. (OCONUS), including Hawaii and Alaska, may have these and other poisonous plants.

All of the distribution maps in this TG were generated from distribution descriptions in the references. Because of the vagueness of some of these descriptions, the maps may not be entirely accurate. Therefore, if there is any question concerning whether or not a particular plant may or may not be located in your area or whether a particular plant may or may not be poisonous, it is best to obtain local professional assistance. If a questionable plant is not included in this TG, its exclusion does not imply safety.

We recommend CONUS distribution of this guide to Directors, Personnel and Community Activities; Directors, Directorate of Engineering and Housing; and Preventive Medicine Services and Units.

References

References are provided in Appendix A.

Acknowledgements

Photographs were used by permission from the following sources.

PLANT NAME	PAGE	SOURCE	PHOTOGRAPHER
<i>Alocasia</i>	6	USACHPPM	Harold Harlan
<i>Caladium bicolor</i>	7	Photo Researchers®	G. Buttner
<i>Dieffenbachia</i>	7	Photo Researchers®	G. Buttner
<i>Epipremnum aureum</i>	8	Photo Researchers®	Mindy Klarman
<i>Euphorbia lactea</i>	8	Photo Researchers®	Kjell B. Sandued
<i>Euphorbia marginata</i>	9	Photo Researchers®	Constance Proter
<i>Euphorbia pulcherrima</i>	9	Photo Researchers®	Mark Boulton
<i>Philodendron</i>	10	Photo Researchers®	Bonnie Sue
<i>Solanum psedocapsicum</i>	11	USACHPPM	Marilyn Swantkowski
<i>Zantedeschia aethiopica</i>	11	Photo Researchers®	Nigil Dennis
<i>Capsicum</i>	12	Photo Researchers®	Angelina Lax
<i>Chrysanthemum</i>	12	USACHPPM	W. B. Bunker III
<i>Colchicum</i>	13	Photo Researchers®	K.H. Jalubi
<i>Hyacinthus</i>	14	Photo Researchers®	John Kaprielian
<i>Hydrangea macrophylla</i>	14	Photo Researchers®	G. Buttner
<i>Iris</i>	15	Photo Researchers®	Francis Gohier
<i>Lathyrus</i>	15	Photo Researchers®	John Kuprielian
<i>Lobelia</i>	16	Photo Researchers®	Alvin E. Staffan
<i>Lycopersicon lycopersicum</i>	16	Photo Researchers®	Michael Gadomski

<i>Narcissus</i>	17	Photo Researchers®	Alan L. Detrick
<i>Rheum rhabarbarum</i>	17	Photo Researchers®	G. Buttner
<i>Solanum tuberosum</i>	18	Photo Researchers®	G. Buttner
<i>Tulipa</i>	18	Photo Researchers®	Bonnie Rauch
<i>Cestrum diurnum</i>	19	USACHPPM	Marilyn Swantkowski
<i>Cestrum nocturnum</i>	20	Custom Medical	Stock
<i>Dicentra cucullaria</i>	21	Photo Researchers®	Rod Planck
<i>Dicentra spectabilis</i>	21	Photo Researchers®	Hans Reinhard
<i>Gelsemium sempervirens</i>	22	Photo Researchers®	Jeff Lepore
<i>Hedra species</i>	23	Photo Researchers®	Joyce photographs
<i>Ilex species</i>	24	Photo Researchers®	Fritz Hanneforth
<i>Laburnum anagyroides</i>	24	Photo Researchers®	G. Buttner
<i>Magnolia grandiflora</i>	25	Photo Researchers®	Angelina Lax
<i>Nerium oleander</i>	24	Photo Researchers®	Charlie Ott
<i>Persea americana</i>	26	Harper Horticulture Slide Library	Pamela Harper
<i>Rhododendron</i>	26	Photo Researchers®	Micheal Gadowski
<i>Taxus</i>	27	Photo Researchers®	Labwitz
<i>Wisteria floribunda</i>	27	Photo Researchers®	Micheal Gadowski
<i>Abrus precatorius</i>	29	Photo Researchers®	Scott Camazine
<i>Actaea rubra var. arguta</i>	30	Photo Researchers®	Scott Camazine
<i>Aconitum</i>	30	Photo Researchers®	Scott Camazine
<i>Aesculus</i>	31	Photo Researchers®	K.G. Vock
<i>Aloe vera</i>	31	USACHPPM	Marilyn Swantkowski
<i>Amanita verna</i>	32		P.F. Lehman
<i>Anemone species</i>	32	Photo Researchers®	G. Buttner
<i>Arisaema triphyllum</i>	33	Photo Researchers®	J.H. Robinson
<i>Asclepias</i>	34	Photo Researchers®	Stephan P. Parker
<i>Brugmansia X candida</i>	35	Harper Horticulture Slide Library	Pamela Harper
<i>Caltha leptosepala</i>	36	Photo Researchers®	Richard Green
<i>Cannabis sativa</i>	37	Photo Researchers®	Vaughan Fleming
<i>Chlorophyllum molybdites</i>	38		P.F. Lehman
<i>Cicuta maculata</i>	39	Photo Researchers®	Virginia P. Weiland
<i>Conium maculatum</i>	39	USACHPPM	Marilyn Swantkowski
<i>Convallaria majalis</i>	40	Photo Researchers®	G. Buttner
<i>Cypripedium</i>	40	USACHPPM	W.B. Bunger III
<i>Datura stramonium</i>	41	Photo Researchers®	Charlie Ott
<i>Daphne mezereum</i>	42	Photo Researchers®	Mark M. Thacher
<i>Delphinium</i>	43	Photo Researchers®	E.R. Degginger
<i>Digitalis purpurea</i>	44	Photo Researchers®	R. Borneman

<i>Equisetum arvense</i>	45	Photo Researchers [®]	John Kuprielian
<i>Helleborus niger</i>	46	Photo Researchers [®]	H. Reinhard
<i>Ipomoea tricolor</i>	47	Animals/Animals Earth Scenes	Richard Shiell
<i>Kalmia angustifolia</i>	48	Photo Researchers [®]	Roy Whithead
<i>Kalmia latifolia</i>	48	Photo Researchers [®]	Bonnie Sue
<i>Kalmia polifolia</i> var. <i>microphylla</i>	49	Harper Horticulture Slide Library	Pamela Harper
<i>Karwinskia humboldtiana</i>	49	USACHPPM	Marilyn Swantkowski
<i>Lantana canare</i>	50	Photo Researchers [®]	Gilbert S. Grant
<i>Lophophora williamsii</i>	51	Photo Researchers [®]	R. Konig
<i>Mensipermum canadense</i>	52	USACHPPM	Marilyn Swantkowski
<i>Mirabilis jalapa</i>	53	Animals/Animals Earth Scenes	Richard Shiell
<i>Nicotiana glauca</i>	54	Custom Medical Stock	
<i>Ornithogalum</i>	54	Photo Researchers [®]	Nell Bolen
<i>Phoradendron serotinum</i>	55	Photo Researchers [®]	Harold Hoffman
<i>Phytolacca americana</i>	56	Photo Researchers [®]	Norm Thomas
<i>Podophyllum peltatum</i>	57	Photo Researchers [®]	Michael Gadomski
<i>Prunus</i>	58	Photo Researchers [®]	Gregory Scott
<i>Ranunculus</i>	58	Photo Researchers [®]	John Buitenkant
<i>Ricinus communis</i>	59	USACHPPM	Harold Harlen
<i>Sambucus</i>	59	Harper Horticultural Slide Library	Pamels Harper
<i>Solanum dulcamara</i>	61	Photo Researchers [®]	Ken Brate
<i>Solanum nigrum</i>	62	Photo Researchers [®]	Norm Thomas
<i>Toxicodendron diversilobum</i>	63	Photo Researchers [®]	J. Robinson
<i>Toxicodendron quercifolium</i>	63	Harper Horticultural Slide Library	Pamels Harper
<i>Toxicodendron radicans</i>	64	Photo Researchers [®]	John Kaprieliand
<i>Typha latifolia</i>	64	USACHPPM	W. B. Bunger III
<i>Veratrum californicum</i>	65	Photo Researchers [®]	John Neal

TOXIC PLANTS

HOUSE PLANTS

Alocasia species



Alocasia

- Common names: Elephant's Ear, Cabeza de Burro, Malanga de Jardin, Malanga Cara de Chivo, Chine Ape, Papao-Apaka, Papao-Atolong, Taro
- Description: Erect perennial with long stemmed, spearhead-shaped leaves. Flowers appear on a greenish stem.
- Toxic Part: The leaves and stems are injurious.
- Symptoms: Chewing of plant part causes a painful burning sensation of the lips, mouth, tongue, and throat.

Angel Wings (see *Caladium bicolor*)

Caladium bicolor



Angel Wings

- Common names:** Caladium, Angel Wings, Caladio, Cananga, Capotillo, Couer Saignant, Corazon de Cabrito, Heart-of-Jesus, Lagrimas de Maria, Mother-in-Law Plant, Paleta de Pintor.
- Description:** Showy, variegated, heart-shaped leaves. Color may vary from white to orange or red depending on species.
- Toxic Part:** The whole plant is injurious when ingested.

Symptoms: Intense irritation of the lips, mouth and throat.

Calla Lily (see *Zantedeschia aethiopica*)

Candelabra Cactus (see *Euphorbia* species)

Dieffenbachia species



Dieffenbachia

- Common Names:** Dumbcane, Camilichigue, Dumb Plant, Mother-in-Law's Tongue Plant.
- Description:** Tall, erect plants with large oblong leaves spotted with ivory markings.
- Toxic Part:** Leaf
- Symptoms:** Chewing on the leaf produces immediate intense pain followed by swelling of the mouth.

Elephant Ear (see *Alocasia* species)

Epipremnum aureum



Pothos

Common Names: Pothos, Amapalo Amarillo, Devil's Ivy, Golden Ceylon Creeper, Golden Hunter's Robe, Golden Pothos, Hunter's Robe, Ivy Arum, Malanga Trepadora, Solomon Island Ivy, Taro Vine, Variegated Philodendron

Description: Climbing vine with large heart-shaped leaves that are usually streaked with yellow.

Toxic Part: The whole plant is injurious.

Symptoms: Causes diarrhea upon ingestion. Also causes dermatitis when touched. Causes burning sensation in mouth when eaten.

Euphorbia species

E. lactea



Candelabra Cactus

Common Names: Candelabra Cactus

Description: Many-branched succulent, spiny shrub or tree with milky sap and wing-like spiny ridges.

Toxic Parts: Leaves, stems, and milky sap.

Symptoms: When ingested, causes severe irritation of the mouth, throat, and skin; temporary blindness; vomiting; diarrhea; and stomach pain.

E. marginata



Snow-on-the-Mountain

Common Names: ~~Snow-on-the-Mountain~~

Description: Tall annual herb with milky juice, growing up to 3 feet in height. Leaves are lance shaped and smooth, bordered by conspicuous white margins. Flowers are bordered with a whorl of white petal-like leaves. Fruit is 3-celled 3-lobed capsule.

Toxic Parts: Leaves, stems, and milky sap.

Symptoms: When touched, causes blistering of the skin. When ingested, causes severe irritation of the mouth, throat, and stomach; nausea; abdominal pain; fainting; and diarrhea.

E. pulcherrima



Poinsettia

Common Names: Poinsettia, Christmas Flower, Christmas Star, Easter Flower.

Description: Large green stem leaves and smaller but showy red, pink, or yellow leaves surrounding the flowers. Fruit is a 3-celled, 3-lobed capsule.

Toxic Parts: Leaves, stems, and milky sap.

Symptoms: When touched, causes irritant dermatitis. If ingested, may cause gastritis.

Jerusalem Cherry (see *Solanum pseudocapsicum*)

Mother-in-Law-Plant (see *Caladium bicolor*)

Orchid (see *Cyripedium* species)

Poinsettia (see *Euphorbia* species)

Philodendron species



Philodendron

Common Names:	Philodendron
Description:	Climbing vines with aerial roots. Leaves large and variable, the most common being heart-shaped.
Toxic Part:	Leaves
Symptoms:	When ingested, causes painful burning of the lips, mouth, tongue, and throat. Contact dermatitis is common.

Solanum pseudocapsicum



Jerusalem Cherry

Common Names: Jerusalem Cherry, Coral

Description: Mostly herbs or shrubs. Are often spiny, hairy, or have stinging hairs. Berries are black, orange, yellow, or red.

Toxic Part: Entire plant, especially the berries.

Symptoms: When ingested, causes gastric irritation, scratchy feeling in the throat, fever, and diarrhea.

Zantedeschia aethiopica



Calla Lily

Common Names: Calla, Calla Lily, Lirio Cala.

Description: Smooth-edged arrowhead-shaped leaves which grow on long stalks. Flower may be white or green.

Toxic Part: Leaves are injurious.

Symptoms: When ingested, causes intense burning of the lips and mouth. Also direct irritant dermatitis.

GARDEN PLANTS

Bleeding Heart (see *Dicentra spectabilis*)

Capsicum species



Peppers

Common Names: Red Pepper, Cayenne Pepper

Description: Plants with elliptic, smooth-edged leaves. Flowers are usually white with a purple tinge. Fruit is a pod containing many seeds, which turn red, orange, or yellow at maturity.

Toxic Part: Fruits

Symptoms: Ingestion of fruit causes burning rash, swollen tissues, intense eye irritation, irritation of the lips, mouth, throat, stomach. Ingestion may also result in vomiting and diarrhea. Contact with skin may cause burning or reddening of skin. Smoke from burning plants may cause eye irritation.

Chrysanthemum species



Chrysanthemum

Common Names: Chrysanthemum, Daisy, Feverfew, Marguerite

Description: Showy flowers in almost all colors except blue.

Toxic Part: Leaves and stems.

Symptoms: Skin contact may cause dermatitis.

Colchicum species



Crocus

Common Names: **Crocus**, Autumn Crocus, Fall Crocus, Meadow Saffron, Mysteria, Vellorita, Wonder Bulb.

Description: Tubular purple or white flowers which emerge from the underground bulb.

Toxic Part: Whole plant is very poisonous.

Symptoms: Upon ingestion, immediate burning pain in mouth and throat with intense thirst followed by nausea, vomiting, and diarrhea. Less than one flower can be deadly.

Crocus (see *Colchicum species*)

Daffodil (see *Narcissus species*)

Hyacinth (see *Hyacinthus orientalis*)


Hyacinthus orientalis



Hyacinth

- Common Names:** Garden Hyacinth
- Description:** Bulbous herbs with long, narrow leaves. Has flowers of white, yellow, red, pink or blue.
- Toxic Part:** Bulbs
- Symptoms:** Ingestion causes stomach cramps, nausea, vomiting and diarrhea.

Hydrangea macrophylla



Hydrangea

- Common Names:** Hydrangea, Hills-of-Snow, Hortensia, POPO-HAU, Seven Bark
- Description:** Large bush of up to 15 feet. Stems and twigs are usually reddish brown. The leaves are 6 inches or longer, dark green above, grayish and fuzzy beneath, and scalloped around the margin. The tiny white flowers are borne in huge clusters. Flowers may also be rose, deep blue or greenish white in color.
- Toxic Part:** Flower bud is the most poisonous.
- Symptoms:** Ingestion may cause cyanide poisoning. Some hours may elapse after ingestion before symptoms appear. Abdominal pain, vomiting, lethargy, and sweating may develop.

Iris species



Iris

Common Names: Iris, Flags, Fleur-de-Lis

Description: Lily-like with leaves which are long and narrow. Flowers are large with pink, blue, lilac, and purple to white, brown, yellow, orange and almost black flowers.

Toxic Part: Leaves and rootstock.

Symptoms: Burning and severe pain in the intestinal tract; nausea and severe diarrhea. Skin irritation may result from the sap and seeds in some species.

Jonquil (see *Narcissus*)

Lathyrus species



Sweet Pea

Common Names: Sweet Pea, Everlasting Peas

Description: Climbing plants with showy flowers, singly or in clusters and are red, pink, white, yellow, blue or purple in color. Fruit is a usually flat legume pod containing several seeds.

Toxic Part: Entire plant, especially the seeds.

Symptoms: Upon ingestion, causes permanent paralysis, slow and weak pulse, shallow breathing, pain, weakness, tremors, excitement, and convulsions.

Lobelia species



Lobelia

Common Names: Cardinal Flower, Indian Tobacco, Asthma Weed, Bladderpod Lobelia, Emetic Weed, Eye Bright, Gag Root, Puke Weed, Wild Tobacco, Blue Cardinal Flower, Great Blue Lobelia.

Description: Flowers are distinctive in having two small petals opposed by three large petals. Flowers may be blue, pink, red, yellow, or white.

Toxic Part: Entire plant.

Symptoms: Poisoning uncommon except when plant extracts are employed in home medicine.

Lycopersicon lycopersicum



Tomato

Common Names: Tomato

Description: Erect to trailing herb with lobed or toothed leaves. Flowers are yellow. Fruit is smooth and more or less round, usually red.

Toxic Part: Leaves, vines, and sprouts.

Symptoms: Headache, stomach pain, vomiting, diarrhea, subnormal temperature, and circulatory and respiratory depression.

Narcissus species



Daffodil

- Common Names: Daffodil, Jonquil, Narcisco, Narcissus, Paciencia.
- Description: Grown from a bulb. May be one or more flowers which are usually white or yellow.
- Toxic Part: Bulbs (mistaken for onions)
- Symptoms: Nausea, vomiting and sometimes diarrhea.

Ornamental Pepper (see *Capsicum species*)

Potato (see *Solanum tuberosum*)

Rheum rhabarbarum



Rhubarb

- Common Names: Rhubarb, Garden Rhubarb, Pieplant, Wineplant
- Description: Thick fleshy stalks with large leaves.
- Toxic Part: Leaf blades.
- Symptoms: Nausea, violent vomiting, nasal bleeding, stomach pains, headache, backache, weakness, difficulty in breathing, and burning of mouth and throat. Death occurs rapidly if large amounts of leaf blades are eaten.

Rhubarb (see *Rheum rhabarbarum*)

Solanum tuberosum



Potato

Common Names: Potato, Irish Potato, White Potato

Description: Upright herbs with edible underground tubers. Leaves are oval and pinnately divided. Flowers are white or bluish and in clusters. Fruits are rounded yellowish or green berries.

Toxic Parts: Green and spoiled potatoes, sprouts, and unripe berries.

Symptoms: Nausea, vomiting, diarrhea, headache, stomach pain, cold and clammy skin, dilated pupils, circulatory and respiratory depression, shock, and paralysis.

Tomato (vines) (see *Lycopersicon lycopersicum*)

Tulip (see *Tulipa* species)

Tulipa species



Tulip

Common Names: Tulip

Description: Most grow to about 2-feet tall. Blooms occur in May and are a characteristic bowl shape.

Toxic Part: Bulbs

Symptoms: Contact Dermatitis. On ingestion, may cause nausea, vomiting, increased salivation and heart palpitations.

ORNAMENTAL PLANTS

Avocado (leaves) (see *Persea americana*)

Azaleas (see *Rhododendron*)

Cestrum species

C. diurnum



Jessamine Pea

Symptoms:

Gastroenteritis

Common Names:

Day Blooming Jessamine,
Chinese Inkberry, Dama
de Dia, Galan de Dia

Description:

Day blooming jessamine is
an evergreen shrub or tall
bush with white flowers. Fruit is a
black berry.

Toxic Part:

Fruit and sap.



C. nocturnum



Jessamine

Common Names:

Night Blooming
Jessamine,
Chinese
Inkberry, Dama
de Noche,
Galan de
Noche, Juele de Noche, Lilas de
Nuit, Jasmin de Nuit



Description:

Night blooming jessamine has flowers
which have fragrance at night. Fruit
is white

Toxic Part: Fruit and sap.

Symptoms: Gastroenteritis


Dicentra species

D. cucullaria



Dutchman's Breeches

Common Names: Dutchman's Breeches, Breeches Flower



Description: Native perennial herb with no stem above ground; leaves and flower stalks arising from a granulate bulb below ground; leaves 4-12 inches long, finely dissected; flowers with two basal projections on the white perianth, producing a shape like that of Dutchman's breeches.

Toxic Part: Entire plant

Symptoms: Salivation and dyspnea. Abdominal pain and diarrhea may be noted.

D. spectabilis



Bleeding Heart

Common Names: Bleeding Heart



Description: Delicate, herbaceous, early spring-flowering plants. Flowers are either pink or white.

Toxic Part: Entire plant.

Symptoms: Contact dermatitis.

Dutchman's Breeches (see *Dicentra cucullaria*)

English Ivy (see *Hedera* species)

Devil's Ivy (see *Epipremnum aureum*)

Gelsemium sempervirens



Jessamine

Common Names:

Carolina
Jessamine,
Yellow
Jessamine,
Carolina Yellow
Jessamine,
Yellow Jasmine



Description:

Woody trailing or climbing evergreen vine with fragrant yellow flowers.

Toxic Part:

Entire plant.

Symptoms:

Profuse sweating, muscular weakness, convulsions, respiratory depression, and paralysis of the motor nerves.


Golden Chain (see *Laburnum anagyroides*)

Hedera species



Ivy (English)

Common Names: Algerian Ivy,
Canary Ivy,
English Ivy,
Ivy, Nadeira
Ivy, Yedra



Description: Climbing vines. Berries are black
and globular.

Toxic Part: Berry and leaf.

Symptoms: Burning sensation in throat when ingested.

Holly Berries (see *Ilex* species)

Ilex species



Holly

Common Names:

English Holly, European Holly, Oregon Holly, American Holly, Deer Berry, Emetic Holly, Indian Black Drink



Description:

Evergreen trees with stiff leathery leaves. Berries are usually bright red but may be yellow.

Toxic Part: Berries.

Symptoms: Nausea, vomiting and diarrhea.

Ivy (Boston, English, and Others) (see *Hedera* species)

Laburnum anagyroides



Golden Chain

Common Names:

Golden Chain.

Description:

A small tree with leaves on long stems. Has sweetpea-shaped flowers that are golden yellow and formed in big masses. Seeds are contained in long, flattened pods.



Toxic Parts:

Seeds and flowers.

Symptoms: Vomiting, diarrhea, drowsiness, weakness, incoordination, sweating, pallor, headache, dilated pupils, and a rapid heartbeat.

Magnolia grandiflora



Magnolia (flower)

Common Names:

Magnolia

Description:

Large tree with white showy flowers.

Toxic Parts:

Flowers

Symptoms:

Consumption of the flower can cause headache and depression. Leaves may cause contact dermatitis in susceptible individuals.



Nerium oleander



Oleander

Common Names:

Oleander

Description:

Shrub that grows to 20 feet. Long narrow leaves up to 10 inches long. Flowers form in small clusters and are red, pink or white. Seeds develop in long narrow capsules which are 3/8 inch in diameter by 5 inches long and are dispersed by the wind.



Toxic Part:

Whole plant, including smoke from burning and water in which the flowers have been placed.

Symptoms:

Pain in the oral cavity, nausea, vomiting, cramping, and diarrhea.

Oleander (see *Nerium oleander*)


Persea americana



Avocado

Common Names: Avocado,
Alligator
Pear

Description: Tree with
alternate
leaves,
oblong to oval in shape. Has small
white flowers.



Toxic Part: Leaves, bark and seeds.

Symptoms: Ingestion causes diarrhea, and nausea.


Rhododendron species



Rhododendron

Common names: Azalea,
Rhododendron,
Rhodora, Rosa
Laurel,
Rosebay.

Description: Evergreen, semi-evergreen, or
deciduous shrubs with a variety of
colored flowers.



Toxic Part: Leaves and honey made from the
flower nectar.

Symptoms: Burning in mouth. Later, salivation, emesis, and diarrhea occur;
also a prickling sensation in the skin.

Sweet Pea (see *Lathyrus* species)

Taxus species



Yew

Common Names:

Yew, Ground Hemlock

Description:

Evergreen trees and shrubs. Seeds are green to black and partially exposed in a fleshy red cup.



Toxic Part:

Most of the plant, including the seeds.

Symptoms:

Dizziness, dry mouth, and mydriasis develop within one hour; followed by abdominal cramping, salivation and vomiting.

Wisteria species

W. floribunda

Common Names: Japanese Wisteria

W. sinensis




Wisteria

Common Names:

Chinese Wisteria

Description:

Twining woody vines. Leaves are large. Flowers are pea-shaped and white, bluish, purplish, red or pink. Fruit is long, thick, flat, knobby legume pod.



Toxic Part:

Pods and Seeds


Symptoms:

Nausea, repeated vomiting, stomach pains, severe diarrhea, dehydration, and collapse.

Yew (see *Taxus* species)

WILD PLANTS

Abrus precatorius



Jequirity Bean

Common Names: Precatory Bean,
Rosary Pea,
Jequirity Bean,
Prayer Bean,
Love Bean,
Lucky Bean



Description:

Twining, more or less woody perennial vine of the legume family. Flowers are rose to purple, rarely white, small and pea-like. Fruit is a short legume pod. Seeds are oval, brilliant red and jet black shiny beans.

Toxic Part: Seeds.


Symptoms: Severe stomach pain, nausea, vomiting, diarrhea, trembling, weakness, cold sweat, drowsiness, labored breathing, anemia, convulsions, weak and fast pulse, kidney failure, circulatory collapse, coma and death.

Actaea rubra var. arguta



Baneberry

Common Names: Western Baneberry, Red Baneberry, Snakeberry



Description: Tall perennial herb with large, spreading toothed leaves and thick root. Has white flowers and red berries.

Toxic Parts: All parts, but mostly the berries, root, and sap.


Symptoms: Severe stomach and abdominal pains, diarrhea, vomiting, dizziness, delirium, increased pulse, and circulatory failure.

Aconitum species



Monkshood

Common Names Monkshood, Aconite, Friar's Cap, Helmet Flower, Soldier's Cap, Wolfsbane



Description: Perennials 2-6 feet in height. Resemble delphiniums. Flowers usually blue but may be white, pink, or flesh toned. Dried seed pods contain numerous tiny seeds.

Toxic Part: Whole plant, especially the leaves and roots.

Symptoms: Burning sensation of the lips, tongue, mouth and throat. Nausea and vomiting may develop.


Aesculus species



Buckeye

Common Names:

Horse Chestnut,
Buckeye,
Bongay,
Conquerors,
Fish Poison,
Marronnier,
Marronnier d'Inde.



Description:

About 13 species, mostly large trees. Flowers may be white, white blotched with red and yellow, pink, yellow and red, or red. Seed is leathery and smooth or warty. Buckeye seed is glossy brown with a white scar. The seed may be covered with spines.

Toxic Part: Nuts and twigs.

Symptoms: Severe gastroenteritis.


Aloe vera



Aloe vera

Common names:

Star Cactus,
Sabila,
Sempervivum,
Sinkle Bible,
Zabila, Zavila



Description:

About 250 species. Leaves usually appear in compact rosettes and are thick, hard, pointed and may have spines or teeth along the margins. Flowers usually red or yellow.

Toxic Part: Latex beneath the skin.


Symptoms: Vomiting after ingestion.

Amanita verna



Mushroom

Common Names: Death Cap Mushroom, Deadly Amanita Mushroom, White Amanita Mushroom



Description: Chalky white with a bulbous base.

Toxic Part: Entire plant.


Symptoms: Sudden and severe abdominal pain, profuse vomiting, diarrhea, distorted vision, excessive thirst, circulatory failure, prostration, coma and death.

Anemone species



Anemone

Common names: Pasque Flower, Anemone, April Fools, Cats-Eyes, Gosling, Hartshorn Plant, Lily of the Field, Lion's Beard, Nightcaps, Nimble Weed, Prairie Crocus, Prairie Hen Flower, Prairie Smoke, Thimbleweed, Wild Crocus, Windflower.



Description: Usually less than 1 foot tall. Flowers appear singly on stem - yellow, red, white or purple.

Toxic Part: The whole plant is poisonous.

Symptoms: Skin irritant and vesicant. Ingestion causes ulceration of the mouth and severe gastroenteritis.

Angel Trumpet Tree (see *Brugmansia X candida*)

Apricot (Kernels) (see *Prunus* species)

Arisaema triphyllum



Jack-in-the-Pulpit

Common Names:

Jack-in-the-Pulpit, Bog Onion, Brown Dragon, Cuckoo Plant, Indian Jack-in-the-Pulpit, Memory Root, Pepper Turnip, Petit Precheur, Priests Pentle, Small Jack-in-the-Pulpit, Starchwort, Three Leaved Indian Turnip, Wake Robin.



- Description:** Two leaves branching from the stalk with three lance-shaped leaflets at the end. Flower may be green, green striped with brown, or brown. Berries are red.
- Toxic Part:** Whole plant.
- Symptoms:** Burning of the lips, mouth and throat.

Asclepias species




Milkweed

Common Names: Milkweed

Description:

There are approximately 20 different species. They are perennial, summer or autumn flowering herbs with milky juice. They have erect, non-twining stems. The fruit is the familiar inflated milkweed pod filled with numerous seeds, each bearing a tuft of long, silky hairs. There are two major groups, narrow-leaved and broad-leaved.



Toxic Parts: Entire plant.

Symptoms: Profound depression, weakness, tetanic seizures, labored respiration, elevated temperature.

Baneberry (see *Actaea rubra* var. *arguta*)

Bittersweet (see *Solanum dulcamara*)

Brugmansia X candida



Angel Trumpet Tree

Common names:

Angel Trumpet
Tree,
Belladonna,
Campana,
Cornucopia,
Floripondio



Description:

May grow to 20 feet in height.
Flowers are white, yellowish white,
or pinkish white.

Toxic Part:

Whole plant is toxic, but flowers and seeds are most often implicated in poisoning.

Symptoms:

Dry mouth, dry warm skin, tachycardia and delirium with hallucinations.

Buckeye (see *Aesculus* species)

Buttercups (see *Ranunculus* species)

Caltha species

C. palustris

Common Names: Cowslip

C. leptosepala



Cowslip




Common Names: Marsh Marigold

Description: Perennial herbs of marshy wetlands. Have large kidney-shaped leaves that are about 7 inches wide. Stems are 8 to 24 inches long, smooth, hollow and furrowed. *C. palustris* has bright yellow flowers and *C. leptosepala* has white flowers.

Toxic Parts: All parts of the plant.


Symptoms: Chewing of the plant causes acute inflammation and occasional ulceration of the mouth and throat.

Cannabis sativa



Marijuana

Common Names: Marijuana, Hemp, Hashish, Mary Jane, Pot, Grass.



Description: Tall coarse annual with long-stalked leaves. Flowers are small, green, and clustered. Flowers, leaves and stems are covered with hairs which exude a sticky resin.

Toxic Part: Entire plant, especially the leaves, flowering parts, sap, and resinous secretions.

Symptoms: Exhilaration, hallucinations, delusions, mental confusion, dilated pupils, blurred vision, poor coordination, weakness, stupor, and coma.

Castor bean (see *Ricinus communis*)

Cattail (see *Typha latifolia*)

Cherries (seeds, bark, pits, leaves) (see *Prunus* species)

Chlorophyllum molybdites



Mushroom

Common Names:

Morgan
Lepiota, Green-
gilled Lepiota,
Greenspored
Mushroom.



Description:

Large mushroom with a thick white scaly cap 10-30 centimeters wide and a white stalk. Gills and spores are greenish when mature, later turning dark brown.

Toxic Part:

Entire plant.

Symptoms:

Strong purgative and can cause nausea, weakness, faintness, chills, vomiting, cramps and diarrhea.

Christmas Rose (see *Helleborus niger*)


Cicuta maculata



Water hemlock

Common Names: Water hemlock

Description: Tall, perennial herbs. Roots have hollow horizontal chambers that exude a gummy and oily yellow juice when cut. Flowers are small and white. Fruits are dry, ribbed, two-part capsules.



Toxic Part: Entire plant, especially the roots and young growth.


Symptoms: Frothing at the mouth, tremors, spasms, dilated pupils, extreme stomach pain, diarrhea, violent convulsions, vomiting, delirium, respiratory failure, paralysis, and death.

Conium maculatum



Poison Hemlock

Common Names: Poison Hemlock, Bunk, California Fern, Poison Parsley, Poison Root, Snake Weed, Spotted Hemlock, Spotted Parsley, Winter Fern, Wode Whistle.



Description: Resembles a carrot with large lacy leaves, but the root is white.

Toxic Part: Whole plant, particularly the root and seeds.

Symptoms: Irritation of the mucous membranes of the mouth and throat with salivation, nausea, and vomiting.

Convallaria majalis



Lily-of-the-Valley

Common Names: Lily-of-the-Valley, Conval Lily, Mayflower, Muguet.



Description: Small perennials with two oblong leaves and a flower stalk bearing small, bell-shaped white flowers on one side. May occasionally have orange-red fleshy berries.

Toxic Part: Entire plant and the water in which the plant has been kept.

Symptoms: Pain in the mouth, nausea, vomiting, abdominal pain, cramping and diarrhea, and heart arrhythmias.

Cowslip (see *Caltha leptosepala*)

Coyotillo (see *Karwinskia humboldtiana*)

Cypripedium species



Lady's Slipper

Common Names: Orchid, Lady's Slipper

Description: Has lance-shaped leaves 2 to 6 inches long. Yellow-green flowers with white pouches which may be blushed with pink or spotted with purple.



Toxic Part: Bulbs


Symptoms: Contact Dermatitis

Datura stramonium



Datura stramonium

Common Names: Jimsonweed,
Thornapple,
Jamestown-
weed,
Stinkweed,
Datura




Description: Coarse weedy herbs with stout stems and foul-smelling herbage. Leaves are large and oval with wavy margins. Flowers are fragrant, white, large, tubular, and showy.

Toxic Part: All parts, particularly the seeds and leaves.

Symptoms: On ingestion: dry mouth, thirst, redness of skin, disturbed vision, pupil dilation, nausea, vomiting, headache, hallucination, excitement, rapid pulse, delirium, incoherent speech, apparent insanity, convulsions, elevated temperature, high blood pressure, and coma. In severe cases, death may result.


Daphne mezereum



Daphne mezereum

Common names:

Bois Gentil,
Bois Joli,
Dwarf Bay,
February
Daphne, Flax
Olive, Lady
Laurel, Mezereum, Spurge Laurel,
Spurge Olive



Description:

Deciduous rounded shrubs that grow 4 to 5 feet in height. Flowers are lilac-purple or white and grow in clusters. Fruits are scarlet or yellow with a pit.

Toxic Part:

The whole plant is poisonous, including the flower, but most intoxications have been associated with the fruit and seeds.

Symptoms:

Ingestion of the fruit or chewing the bark produces swelling of the oral cavity and salivation. This is followed by thirst, abdominal pain, vomiting and diarrhea.

Delphinium species



Larkspur

Common Names: Larkspur

Description: Tall or short herbs with usually blue showy flowers.

Seeds are enclosed in a 3-celled capsule.



Toxic Part: Entire plant.

Symptoms: Burning sensation of the mouth and skin, nervousness, headache, weakness, prickling of the skin, low blood pressure, nausea, vomiting, depression, weak pulse, and convulsions. If eaten in large quantities, death may occur in less than 6 hours.

Digitalis purpurea



Foxglove

Common Names:

Foxglove,
Digitalis, Fairy
Bells, Fairy
Cap, Fairy
Glove, Fairy
Thimbles, Folks
Glove, Ladies' Thimbles, Lion's
Mouth, Pop-Dock, Rabbit Flower,
Thimbles, Throatwort, Witches'
Thimbles.



Description:

Flowers form along the central stalk and droop down. They may be pink or purple and are usually spotted on the inside.

Toxic Parts:

The whole plant is extremely poisonous.

Symptoms:

Pain in the oral cavity, nausea, vomiting, abdominal pain, cramping, and diarrhea.

Elderberry (see *Sambucus* species)


Equisetum arvense



Horsetail

Common Names: Horsetail,
Foxtail, Rush

Description: Small herbaceous perennials, growing each season from deeply buried rhizomes. Aerial stems are jointed, hollow, and of harsh texture to the touch. Stems and branches are green, often occurring in great numbers, giving the appearance of a horse's tail.



Toxic Part: Entire Plant.

Symptoms: Weakness, ataxia, rapid and weak pulse, and cold extremities.

Four-O'-Clock (see *Mirabilis jalapa*)

Foxglove (see *Digitalis*)

Helleborus niger



Christmas Rose

Common Names: Christmas Rose,
Hellebore

Description:

Evergreen perennial herb grows to 2 feet with oval leaves. Flower is 2 to 3 inches across with white or pinkish petals. Fruit is a small capsule with many glossy black seeds.



Toxic Part: Whole plant is poisonous.

Symptoms: Pain in mouth and abdomen with nausea, emesis, cramping and diarrhea.


Horsetail Reed (see *Equisetum arvense*)

Ipomoea tricolor



Morning Glory

Common Names: Morning Glory,
Heavenly Blue,
Pearly Gates,
Flying Saucers,
Wedding Bells,
Summer Skies, Blue Water



Description: Stout, twining herb with large heart-shaped leaves. Flowers are tubular with coloring from dark blue to white and sometimes rose-lavender. Seeds are found in capsules.

Toxic Part: Seeds.

Symptoms: Hallucinations, panic, detachment, incoherent speech, cold hands and feet, nausea, vomiting, laughing and crying jags, strong body odor, mental disorder, and suicidal attempts.

Jack-in-the-Pulpit (see *Arisaema triphyllum*)

Jequirity Bean (see *Abrus precatorius*)

Jessamine Pea (see *Cestrum*)

Jimson Weed (see *Datura stramonium*)


Kalmia species

K. angustifolia



Laurel

Common Names: Lambkill, Sheepkill, Calfkill, Dwarf Laurel



Description: Open woody shrub, 1 to 4 feet tall, evergreen. Flowers are rose or crimson in color. Fruit is 5-cavities, many-seeded capsule.

Toxic Part: Entire plant.

Symptoms: Anorexia, salivation, depression and nausea

K. latifolia



Mountain Laurel

Common Names: Mountain Laurel, Calico Bush, Ivybush



Description: Dense, woody, round-topped shrub or small evergreen tree. Flowers rose to white with purple markings. Fruit is 5-cavities, many-seeded capsule.

Toxic Part: Entire plant.

Symptoms: Anorexia, salivation, depression and nausea

K. polifolia var. microphylla



Laurel

Common Names: Pale Laurel,
Bog Laurel.



Description: Small woody bush to 10 inches tall. Flowers are showy, rose to purple in color.

Toxic Part: Entire plant.

Symptoms: Anorexia, salivation, depression and nausea.

Karwinskia humboldtiana



Coyotillo

Common Names: Buckthorn,
Coyotillo,
Tullidora



Description: Shrubby tree which grows to about 6 feet. Berry shaped fruit turns black when mature and contains a pit.

Toxic Parts: The fruit is poisonous.


Symptoms: Paralytic neuropathy which may result in respiratory paralysis.

Lantana camara



Lantana

Common Names: Lantana, Shrub
Verbena,
Yellow Sage,
Bunchberry



Description: Sprawling
shrubs with squarish prickly stems.
Flowers grow in flat clusters.
Flowers change colors in 24 hour
period opening from yellow then
changing to orange then red.

Toxic Part: The immature berries are poisonous. Mature fruit is probably not
poisonous.

Symptoms: Weakness, lethargy, emesis, diarrhea.

Larkspur (*see Delphinium*)

Laurels (*see Kalmia species*)

Lily-of-the-Valley (*see Convallaria majalis*)


Lophophora williamsii



Peyote

Common Names: **Peyote, Mescal, Mescal Buttons**

Description: **Small carrot-shaped spineless and fleshy**



member of the cactus family. Stems are dome-shaped with low rounded knob-like projections (buttons). Flowers are small and bell-shaped, white to rose-pink. Fruit is a pink berry with black seeds.

Toxic Part: Entire plant, especially the buttons.

Symptoms: Hallucinations, anxiety, muscular tremors, and twitching. Vomiting, diarrhea, stomach pains, pupil dilation, blurred vision, headache, dizziness, illusions, wakefulness, inability to focus ones attention, forgetfulness, loss of sense of time, muscular relaxation, and circulatory depression.

Marijuana (see *Cannabis sativa*)


Mayapple (see *Podophyllum peltatum*)

Menispermum canadense



Moonseed

Common Names: **Moonseed,**
Canada
Moonseed,
Texas
Sasparilla,
Yellow
Sasparilla



Description: **Woody twining vine grows to 12 feet.**
Large broad leaves are 8 inches long
and slightly lobed. Grape-like fruit in
clusters and is bluish black with a
crescent-shaped pit. May be confused
with wild grape.

Toxic Part: **Fruit.**

Symptoms: **Convulsions.**

Milkweed (see *Asclepias* species)

Mirabilis jalapa



Four-O'-Clock

Common Names: Four-O'-Clock,
Beauty-of-the-Night



Description: Tuberous, erect perennial (or annual depending upon climate). Leaves are deep green, ovate, and pointed. Flowers are tubular and red, pink, yellow, or white, often striped and mottled.

Toxic Part: Roots and seeds.

Symptoms: Acute stomach pain, nausea, vomiting, diarrhea, and irritation of the skin and mucous membranes.

Mistletoe (see *Phoradendron serotinum*)

Moonseed (see *Menispermum canadense*)

Monkshood (see *Aconitum* species)

Morning Glory (see *Ipomoea tricolor*)

Mushroom (see *Amanita verna* and *Chlorophyllum molybdites*)

Nicotiana glauca



Tobacco

Common Names: **Tobacco**

Description: Shrub or small tree with a whitish smooth bark. Leaves are thick and rubbery. Yellow flowers are tubular. Fruit is a many-seeded capsule.



Toxic Part: Entire plant.

Symptoms: Nausea, burning of mouth and intestinal tract, severe vomiting, diarrhea, stomach pain.

Nightshade (see *Solanum* species)

Ornithogalum species



Star-of-Bethlehem

Common Names: **Star-of-Bethlehem**

Description: Onion-like. White, showy, star-like flower. Fruit is 3-lobed, several seeded capsule.



Toxic Part: Bulbs, leaves, and flowers, both fresh and dried.

Symptoms: Nausea, vomiting, diarrhea, and stomach pain.

Peyote (Mescal) (see *Lophophora williamsii*)

Phoradendron serotinum




Mistletoe

Common Names: **Mistletoe**

Description: Parasitic plants that grow on trees and shrubs.


Flowers are small. Fruits are small white berries (sometimes reddish or pink) with sticky pulp.



Toxic Part: All parts, especially the berries.

Symptoms: Stomach and intestinal pain, diarrhea, slow pulse. Death may occur within a few hours.

Phytolacca americana



Pokeweed

Common Names: Pokeweed,
Pokeberry,
Skoke, Inkweed



Description: Shrub-like herb with large fleshy taproot. Large oblong, pointed, leaves. Flowers and fruits are in clusters. Flowers are white to purplish. Fruit at maturity is a dark purple berry (nearly black) with red juice.

Toxic Parts: Entire plant, especially the roots, shoots and unripe berries.

Symptoms: Burning and bitter taste in the mouth, severe stomach cramps and pain, nausea, persistent vomiting, diarrhea, blurred vision, drowsiness, slowed respiration, salivation, perspiration, difficult breathing, weakness, tremors, severe convulsions, spasms, coma, and death if plant is eaten in large amounts.

Podophyllum peltatum



Mayapple

Common Names:

Mayapple,
American
Mandrake,
Behen, Devil's
Apple, Hog
Apple, Indian
Apple, Raccoon Berry, Umbrella
Leaf, Wild Jalap, Wild Lemon.



Description:

Grows to 1.5 feet and has two large umbrella-like leaves. Has single white nodding flower. Flower followed by yellowish green fruit about the size and shape of an egg.

Toxic Part: Entire plant, except the fruit (which may cause mild catharsis).

Symptoms: Vomiting and catharsis.

Poison Hemlock (see *Conium maculatum*)

Poison Ivy (see *Toxicodendron radicans*)

Poison Oak (see *Toxicodendron diversilobum* or *T. toxicarium*)


Pokeweed (see *Phytolacca americana*)

Prunus species



Prunus

Common names: Apricot, Cherry, Choke Cherry, Peach, Plum, Sloe.



Description: Trees and shrubs with white or pink flowers.

Toxic Part: The kernel in the pit is poisonous.


Symptoms: Abdominal pain, vomiting and lethargy.

Ranunculus species



Buttercup

Common names: Buttercup, Crowfoot, Bassinet, Blister Flower or Wort



Description: Herbs with yellow, white or sometimes red flowers.

Toxic Part: Sap is toxic.

Symptoms: Blistering and ulceration of the mouth when eaten

Ricinus communis



Castor Bean

Common Names: Castor Bean,
African Coffee
Tree, Castor Oil
Plant



Description: Grows to 15 feet or higher with large lobed leaves up to 3 feet across. Spiny seed pods form clusters along spikes. Pods contain plump seeds resembling fat ticks in shape and size, usually mottled black or brown on white.

Toxic Part: Seeds

Symptoms: Poisoning apparent only after a latent period of several hours. Symptoms usually consist of nausea, vomiting, and diarrhea.

Rosary Pea (see *Abrus precatorius*)


Sambucus species



Elderberry

Common Names: Elderberry,
American Elder

Description: Six to twelve
foot shrub with
serrated oval
leaflets. Small white flowers.
Purplish-black fruits.



Toxic Part: Whole plant is poisonous. Ripe fruit
is harmless when cooked and is
generally considered to have no
adverse effect if limited amounts are
eaten raw.

Symptoms: Uncooked berries may have laxative effect. Leaves, roots, bark,
or immature berries may cause diarrhea.

Skunk Cabbage (see *Veratrum californicum*)

Solanum species


S. dulcamara



Bittersweet

Common Names:

Bittersweet,
Agridulce, Dog-
Wood, Fellen,
Fellonwort,
Morelle Douce-
Amere, Poison
Berry or Flower, Poisonous
Nightshade, Deadly Nightshade,
Scarlet Berry, Snake Berry, Woody
Nightshade, Climbing Nightshade.



Description: Leaves are ovate, alternate, and entire or lobed. Fruits are round with bright red berries.

Toxic Part: Berries.

Symptoms: Headache, stomach pain, vomiting, diarrhea, dilated pupils, subnormal temperature, shock, abdominal pain, circulatory and respiratory depression, loss of sensation, and paralysis.

S. nigrum



Nightshade

Common Names: **Nightshade,**
Black
Nightshade,
Deadly
Nightshade



Description: Leaves are ovate, alternate, and entire or lobed. Flowers are small, white, and star-shaped. Fruits are round with purple or black berries with many seeds.

Toxic Part: Leaves and unripe berries.

Symptoms: Headache, stomach pain, vomiting, diarrhea, dilated pupils, subnormal temperature, shock, abdominal pain, circulatory and respiratory depression, loss of sensation, and paralysis.

Star-of-Bethlehem (see *Ornithogalum* species)

Toxicodendron species

T. diversilobum



Western Oak

Common Names: Western Poison Oak

Description: Has the familiar three leaflets, grows as a shrub or vine.



Toxic Parts: Roots, stems, leaves, pollen, flowers, and fruits.

Symptoms: Itching, burning, and redness of the skin. Small blisters may appear in a few hours or days.


T. quercifolium



Poison Oak

Common Names: Eastern Poison Oak

Description: Never climbs or produces aerial roots. Leaves are densely pubescent. Fruit is larger than those of poison ivy.



Toxic Parts: Roots, stems, leaves, pollen, flowers, and fruits.

Symptoms: Itching, burning, and redness of the skin. Small blisters may appear in a few hours or days.

T. radicans



Poison Ivy

Common Names: Poison Ivy

Description: A trailing or climbing vine, shrub or small tree in the cashew family. Leaves are 3-foliolate with oval, pointed, glossy, and lobed or toothed leaflets. Flowers are greenish-white and clustered in the axils of leaves; fruits are berry-like, whitish, and waxy.



Toxic Parts: Roots, stems, leaves, pollen, flowers, and fruits.

Symptoms: Itching, burning, and redness of the skin. Small blisters may appear in a few hours or days.

Tobacco (see *Nicotiana glauca*)


Typha latifolia



Cattail

Common Names: Cattail, Cat's Tail

Description: Iris-like leaves with fat-cigar shaped, brown-surfaced spike of densely packed woolly fibers.



Toxic Parts: Leaves

Symptoms: Stiffness, profuse perspiration and muscular trembling.


Veratrum californicum



Skunk cabbage

Common Names: Corn Lily,
Skunk Cabbage

Description: Tall, broad-leaved herbs growing up to 7 feet in height from a thick rootstock. Leaves are large, alternate, pleated, clasping, and parallel veined. Flowers are numerous and white to greenish in large terminal clusters. Fruit is 3-lobed.



Toxic Parts: Entire plant.

Symptoms: Nausea, vomiting, diarrhea, stomach pains, reduced blood pressure, slow pulse, lowered body temperature, shallow breathing, salivation, unpleasant taste, muscular weakness, nervousness, spasms, convulsions, and general paralysis.

Water Hemlock (see *Cicuta douglasii*)

REFERENCES

AR 608-10, *Child Development Services*, 12 February 1990

Kingsbury, J.M., 1964. *Poisonous Plants of the United States and Canada*, Prentice-Hall, Inc., Englewood Cliffs, NJ.

Lampe, K.F., 1981. *Common Poisonous and Injurious Plants*, U.S. Department of Health, and Human Services, Washington, DC.

Lampe, K.F. and M.A. McCann, 1985. *AMA Handbook of Poisonous and Injurious Plants*, American Medical Association, Chicago, IL.

Schmutz, E.M. and L.B. Hamilton, 1979. *Plants That Poison*, Northland Publishing, Flagstaff, AZ.

Spoerke, D.G. and S.C. Smolinske, 1990. *Toxicity of Houseplants*, CRC Press, Boca Raton, FL.

POISON CONTROL CENTER PHONE NUMBERS

The following telephone numbers are provided for Regional Poison Control Centers as points of contact in the event of an emergency dealing with toxic plants.

Center	Phone No.
ALABAMA	
Alabama Poison Center	(205) 345-0600 (Admin) (800) 462-0800 (AL only)
ARIZONA	
Arizona Poison Control System	(602) 626-7899 (Admin) (800) 362-0101 (AZ only)
CALIFORNIA	
Los Angeles County Medical Association	(213) 664-2121 (Admin) (213) 484-5151
San Diego Regional Poison Center	(619) 294-3666 (Admin) (619) 294-6000
San Francisco Bay Area Regional Poison Control Center	(415) 821-8324 (Admin) (415) 476-6600
University of California Davis Medical Center	(916) 453-3414 (Admin) (916) 453-3692
COLORADO	
Rocky Mountain Poison Center Denver, CO	(303) 893-7774 (Admin) (800) 332-3073 (CO only) (800) 525-5042 (MT only) (800) 442-2702 (WY only) (303) 629-1123
DISTRICT OF COLUMBIA	
National Capital Poison Center	(202) 625-6073 (Admin) (202) 625-3333

FLORIDA

Tampa Bay Regional Poison Control Center

(813) 251-6911 (Admin)
 (800) 282-3171
 (813) 253-4444

GEORGIA

Georgia Poison Control Center

(404) 589-4400
 (800) 282-5846

INDIANA

Indiana Poison Center

(317) 630-6382 (Admin)
 (800) 382-9097
 (317) 630-7351

KENTUCKY

Kentucky Regional Poison Center

(502) 562-7264 (Admin)
 (800) 722-5725 (KY only)
 (502) 589-8222

LOUISIANA

Louisiana Regional Poison Control Center

(318) 674-6364 (Admin)
 (800) 535-0525
 (318) 425-1524

MARYLAND

Maryland Poison Center

(410) 528-7604 (Admin)
 (800) 492-2414 (MD only)
 (410) 528-7701

MASSACHUSETTS

Massachusetts Poison Control Center

(617) 735-6607 (Admin)
 (800) 682-9211
 (617) 232-2120

MICHIGAN

Blodgett Regional Poison Center
 Grand Rapids, MI

(616) 774-7854 (Admin)
 (800) 632-2727 (MI only)

Poison Control Center
 Detroit, MI

(313) 745-5329 (Admin)
 (800) 462-6642 (AC 313 only)
 (800) 572-1655 (Rest of MI)
 (313) 745-5711
 (800) 442-4571 (AC 616 only)

MINNESOTA

Hennepin Regional Poison Center
Minneapolis, MN

(612) 347-3144
(612) 347-3141

Minnesota Regional Poison Center

(612) 221-3096 (Admin)
(800) 222-1222
(612) 221-2113

MISSOURI

Cardinal Glennon Children's Hospital
Regional Poison Center
St. Louis, MO

(314) 772-8300 (Admin)
(800) 392-9111 (MO only)
(314) 772-5200

NEBRASKA

Mid Plains Poison Center
Omaha, NE

(402) 390-5434 (Admin)
(800) 642-9999 (NE only)
(800) 228-9515

(Surrounding states)

(402) 390-5400

NEW JERSEY

New Jersey Poison Information and Education System

(201) 926-7443 (Admin)
(800) 962-1253 (NJ only)
(201) 923-0764

NEW MEXICO

New Mexico Poison and Drug Information Center

(505) 277-4261 (Admin)
(800) 432-6866 (NM only)
(505) 843-2551

NEW YORK

Long Island Regional Poison Center

(516) 542-2323

NORTH CAROLINA

Duke University Poison Control Center

(919) 684-4438 (Admin)
(800) 672-1697 (NC only)
(919) 684-8111

OHIO

Central Ohio Poison Control Center (614) 461-2012 (Admin)
 (800) 682-7625
 (614) 228-1323

Southwest Ohio Regional Poison Control System (513) 872-5111
 Cincinnati, OH (800) 872-5111

PENNSYLVANIA

Pittsburgh Poison Center (412) 647-5600 (Admin)
 (412) 681-6669

RHODE ISLAND

Rhode Island Poison Center (401) 277-5906 (Admin)
 (401) 277-5727

TEXAS

North Central Texas Poison Center (214) 920-2586 (Admin)
 (800) 441-0040 (TX only)
 (214) 920-2400

Texas State Poison Center (409) 761-3332 (Admin)
 (409) 765-1420
 (713) 654-1701 (Houston)
 (516) 478-4490 (Austin)
 (800) 392-8548 (TX only)

UTAH

Intermountain Regional Poison Center (801) 581-7504 (Admin)
 Salt Lake City, UT (800) 662-0062 (UT only)
 (801) 581-2151

WEST VIRGINIA

West Virginia Poison Center (304) 347-1212 (Admin)
 (800) 642-3625 (WV only)
 (304) 348-4211

INDEX

Abrus precatorius	29	Behen	57
Aconite	30	Belladonna	35
Aconitum	30	Bittersweet	61
Actaea rubra var. arguta	30	Black Nightshade	62
Aesculus	31	Bladderpod Lobelia	16
African Coffee Tree	59	Bleeding Heart	21
Agridulce	61	Blister Flower or Wort	58
Algerian Ivy	23	Blue Cardinal Flower	16
Alligator Pear	26	Blue Water	47
Alocasia	6	Bog Laurel	49
Aloe vera	31	Bog Onion	33
Amanita verna	32	Bois Gentil	42
Amapalo Amarillo	8	Bois Joli	42
American Elder	60	Bongay	31
American Holly	24	Breeches Flower	21
American Mandrake	57	Brown Dragon	33
Anemone	32	Brugmansia X candida	35
Angel Trumpet Tree	35	Buckeye	31
Angel Wings	7	Buckthorn	49
Apricot	58	Bunchberry	50
April Fools	32	Bunk	39
Arisaema triphyllum	33	Buttercup	58
Asclepias	34	Cabeza de Burro	6
Asthma Weed	16	Cactus	
Autumn Crocus	13	Candelabra Cactus	8
Avocado	26	Star Cactus	31
Azalea	26	Caladio	7
Baneberry		Caladium	7
Red Baneberry	30	Caladium bicolor	7
Western Baneberry	30	Calfkill	48
Bassinet	58	Calico Bush	48
Bean		California Fern	39
Castor Bean	59	Calla	11
Jequirity Bean	29	Calla Lily	11
Love Bean	29	Caltha	
Lucky Bean	29	C. leptosepala	36
Prayer Bean	29	C. palustris	36
Precatory Bean	29	Camilichigue	7
Beauty-of-the-Night	53	Campana	35

Canada Moonseed	52	Couer Saignant	7
Cananga	7	Cowslip	36
Canary Ivy	23	Coyotillo	49
Candelabra Cactus	8	Crocus	13
Cannabis sativa	37	Prairie Crocus	32
Capotillo	7	Wild Crocus	32
Capsicum	12	Crowfoot	58
Cardinal Flower	16	Cuckoo Plant	33
Castor Bean	59	Cypripedium	40
Castor Oil Plant	59	Daffodil	17
Cat's Tail	64	Daisy	12
Cats Eyes	32	Dama de Dia	19
Cattail	64	Dama de Noche	20
Cayenne Pepper	12	Daphne	
Cestrum	19	February Daphne	42
C. diurnum	19	Daphne mezereum	42
C. nocturnum	20	Datura	41
Cherry	58	Datura stramonium	41
Choke Cherry	58	Day Blooming Jessamine	19
Chestnut		Deadly Amanita Mushroom	32
Horse Chestnut	31	Deadly Nightshade	61, 62
Chine Ape	6	Death Cap Mushroom	32
Chinese Inkberry	19, 20	Deer Berry	24
Chinese Wisteria	27	Delphinium	43
Chlorophyllum molybdites	38	Devil's Apple	57
Choke Cherry	58	Devil's Ivy	8
Christmas Flower	9	Dicentra	21
Christmas Rose	46	D. cucullaria	21
Christmas Star	9	D. spectabilis	21
Chrysanthemum	12	Dieffenbachia	7
Cicuta maculata	39	Digitalis	44
Climbing Nightshade	61	Digitalis purpurea	44
Coffee Tree		Dog-Wood	61
African Coffee Tree	59	Dumb Plant	7
Colchicum	13	Dumbcane	7
Conium maculatum	39	Dutchman's Breeches	21
Conquerors	31	Dwarf Bay	42
Conval Lily	40	Dwarf Laurel	48
Convallaria majalis	40	Easter Flower	9
Coral	11	Eastern Poison Oak	63
Corazon de Cabrito	7	Elderberry	60
Corn Lily	65	Elephant's Ear	6
Cornucopia	35	Emetic Holly	24

Emetic Weed	16	Golden Hunter's Robe	8
English Holly	24	Golden Pothos	8
English Ivy	23	Gosling	32
Epipremnum aureum	8	Grass	37
Equisetum arvense	45	Great Blue Lobelia	16
Euphorbia	8	Green-gilled Lepiota	38
E. lactea	8	Greenspored Mushroom	38
E. marginata	9	Ground Hemlock	27
E. pulcherrima	9	Hartshorn Plant	32
European Holly	24	Hashish	37
Everlasting Peas	15	Heart-of-Jesus	7
Eye Bright	16	Heavenly Blue	47
Fairy Bells	44	Hedera	23
Fairy Cap	44	Hellebore	46
Fairy Glove	44	Helleborus niger	46
Fairy Thimbles	44	Helmet Flower	30
Fall Crocus	13	Hemlock	
February Daphne	42	Ground Hemlock	27
Fellen	61	Poison Hemlock	39
Fellonwort	61	Hemlock, Spotted	39
Fern		Hemp	37
California Fern	39	Hills-of-Snow	14
Winter Fern	39	Hog Apple	57
Feverfew	12	Holly	
Fish Poison	31	American Holly	24
Flags	15	Emetic Holly	24
Flax Olive	42	English Holly	24
Fleur-de-Lis	15	European Holly	24
Floripondio	35	Oregon Holly	24
Flying Saucers	47	Horse Chestnut	31
Folks Glove	44	Horsetail	45
Four-O'-Clock	53	Hortensia	14
Foxglove	44	Hunter's Robe	8
Foxtail	45	Hyacinth	
Friar's Cap	30	Garden Hyacinth	14
Gag Root	16	Hyacinthus orientalis	14
Galan de Dia	19	Hydrangea macrophylla	14
Galan de Noche	20	Ilex	24
Garden Hyacinth	14	Indian Apple	57
Garden Rhubarb	17	Indian Black Drink	24
Gelsemium sempervirens	22	Indian Jack-in-the-Pulpit	33
Golden Ceylon Creeper	8	Indian Tobacco	16
Golden Chain	24	Inkweed	56

Ipomoea tricolor	46, 47	Lantana camara	50
Iris	15	Larkspur	43
Ivy	23	Lathyrus	15
Algerian Ivy	23	Laurel	48
Canary Ivy	23	Bog Laurel	49
Devil's Ivy	8	Dwarf Laurel	48
English Ivy	23	Lady Laurel	42
Ivy Arum	8	Mountain Laurel	48
Nadeira Ivy	23	Pale Laurel	49
Poison Ivy	64	Rosa Laurel	26
Solomon Island Ivy	8	Spurge Laurel	42
Ivy Arum	8	Lepiota	
Ivybush	48	Green-gilled Lepiota	38
Jack-in-the-Pulpit	33	Morgan Lepiota	38
Small Jack-in-the-Pulpit	33	Lilas de Nuit	20
Jamestown-weed	41	Lily	
Japanese Wisteria	27	Calla Lily	11
Jasmin de Nuit	20	Conval Lily	40
Jasmine		Corn Lily	65
Yellow Jasmine	22	Lily of the Field	32
Jequirity Bean	29	Lily-of-the-Valley	40
Jerusalem Cherry	11	Lily of the Field	32
Jessamine		Lily-of-the-Valley	40
Carolina	22	Lion's Beard	32
Carolina Yellow Jessamine	22	Lion's Mouth	44
Day Blooming Jessamine	19	Lirio Cala	11
Night Blooming Jessamine	20	Lobelia	16
Yellow Jessamine	22	Bladderpod Lobelia	16
Jimsonweed	41	Great Blue Lobelia	16
Jonquil	17	Lophophora williamsii	51
Juele de Noche	20	Love Bean	29
Kalmia	48	Lucky Bean	29
K. angustifolia	48	Lycopersicon lycopersicum	16
K. latifolia	48	Magnolia	25
K. polifolia var. microphylla	49	Magnolia grandiflora	25
Karwinskia humboldtiana	49	Malanga Cara de Chivo	6
Laburnum anagyroides	24	Malanga de Jardin	6
Ladies' Thimbles	44	Malanga Trepadora	8
Lady Laurel	42	Marguerite	12
Lady's Slipper	40	Marijuana	37
Lagrimas de Maria	7	Marronnier	31
Lambkill	48	Marronnier d'Inde	31
Lantana	50	Mary Jane	37

Mayapple	57	Eastern Poison Oak	63
Mayflower	40	Western Poison Oak	63
Meadow Saffron	13	Oleander	25
Memory Root	33	Olive	
Menispermum canadense	52	Flax Olive	42
Mescal	51	Spurge Olive	42
Mescal Buttons	51	Orchid	40
Mescal Buttons	51	Oregon Holly	24
Mezereum	42	Ornithogalum	54
Milkweed	34	Paciencia	17
Mirabilis jalapa	53	Pale Laurel	49
Mistletoe	55	Paleta de Pintor	7
Monkshood	30	Papao-Apaka	6
Moonseed	52	Papao-Atolong	6
Canada Moonseed	52	Parsley	
Morelle Douce-Amere	61	Spotted Parsley	39
Morgan Lepiota	38	Parsley, Poison	39
Morning Glory,	47	Pasque Flower	32
Mother-in-Law Plant	7	Pea	
Mother-in-Law's Tongue Plant	7	Rosary Pea	29
Mountain Laurel	48	Peach	58
Muguet	40	Pearly Gates	47
Mushroom		Peas	
Deadly Amanita Mushroom	32	Everlasting Peas	15
Death Cap Mushroom	32	Sweet Peas	15
Greenspored Mushroom	38	Pepper	
White Amanita Mushroom	32	Cayenne Pepper	12
Mysteria	13	Red Pepper	12
Nadeira Ivy	23	Pepper Turnip	33
Narcisco	17	Persea americana	26
Narcissus	17	Petit Precheur	33
Nerium oleander	25	Peyote	51
Nicotiana glauca	54	Philodendron	10
Night Blooming Jessamine	20	Variegated Philodendron	8
Nightcaps	32	Phoradendron serotinum	55
Nightshade	62	Phytolacca americana	56
Black Nightshade	62	Pieplant	17
Climbing Nightshade	61	Plum	58
Deadly Nightshade	61, 62	Podophyllum peltatum	57
Poisonous Nightshade	61	Poinsettia	9
Woody Nightshade	61	Poison Berry or Flower	61
Nimble Weed	32	Poison Hemlock	39
Oak		Poison Ivy	64

Poison Oak		Sage	
Eastern Poison Oak	63	Yellow Sage	50
Western Poison Oak	63	Sambucus	60
Poison Parsley	39	Sasparilla	
Poison Root	39	Texas Sasparilla	52
Poisonous Nightshade	61	Yellow Sasparilla	52
Pokeberry	56	Scarlet Berry	61
Pokeweed	56	Sempervivum	31
Pop-Dock	44	Seven Bark	14
POPO-HAU	14	Sheepkill	48
Pot	37	Shrub Verbena	50
Potato	18	Sinkle Bible	31
Irish Potato	18	Skoke	56
White Potato	18	Skunk Cabbage	65
Pothos	8	Sloe	58
Prairie Crocus	32	Small Jack-in-the-Pulpit	33
Prairie Hen Flower	32	Snake Berry	61
Prairie Smoke	32	Snake Weed	39
Prayer Bean	29	Snakeberry	30
Precatory Bean	29	Snow-on-the-Mountain	9
Priests Pentle	33	Solanum	61
Prunus	58	S. dulcamara	61
Puke Weed	16	S. nigrum	62
Rabbit Flower	44	S. tuberosum	18
Raccoon Berry	57	Solanum pseudocapsicum	11
Ranunculus	58	Soldier's Cap	30
Red Baneberry	30	Solomon Island Ivy	8
Red Pepper	12	Spotted Hemlock	39
Rheum rhabarbarum	17	Spotted Parsley	39
Rhododendron	26	Spurge Laurel	42
Rhodora	26	Spurge Olive	42
Rhubarb	17	Star Cactus	31
Garden Rhubarb	17	Star-of-Bethlehem	54
Ricinus communis	59	Starchwort	33
Rosa Laurel	26	Stinkweed	41
Rosary Pea	29	Summer Skies	47
Rose		Sweet Peas	15
Christmas Rose	46	Taro	6
Rosebay	26	Taro Vine	8
Rush	45	Taxus	27
Sabila	31	Texas Sasparilla	52
Saffron		Thimbles	44
Meadow Saffron	13	Thimbleweed	32

Thornapple	41	Yedra	23
Three Leaved Indian Turnip	33	Yellow Sage	50
Throatwort	44	Yellow Sasparilla	52
Tobacco	54	Yew	27
Indian Tobacco	16	Zabila	31
Wild Tobacco	16	Zantedeschia aethiopica	11
Tomato	16	Zavila	31
Toxicodendron	63		
T. diversilobum	63		
T. quercifolium	63		
T. radicans	64		
Tulip	18		
Tulipa	18		
Tullidora	49		
Typha latifolia	64		
Umbrella Leaf	57		
Variegated Philodendron	8		
Vellorita	13		
Veratrum californicum	65		
Verbena			
Shrub Verbena	50		
Wake Robin	33		
Water hemlock	39		
Wedding Bells	47		
Western Poison Oak	63		
White Amanita Mushroom	32		
Wild Crocus	32		
Wild Jalap	57		
Wild Lemon	57		
Wild Tobacco	16		
Windflower	32		
Wineplant	17		
Winter Fern	39		
Wisteria	27		
Chinese Wisteria	27		
Japanese Wisteria	27		
W. floribunda	27		
W. sinensis	27		
Witches' Thimbles	44		
Wode Whistle	39		
Wolfsbane	30		
Wonder Bulb	13		
Woody Nightshade	61		



USACHPPM TG No. 196
Feb. 1996