INSECT/ARTHROPOD REPELLENT
PROTECTIVE TREATMENT FOR MILITARY BATTLE DRESS UNIFORM

FOR MILITARY USE ONLY
OUTER CLOTHING TREATMENT ONLY
EPA Reg. No. 61120-3 EPA Est.No. 62828-SC-001

ACTIVE INGREDIENT:
Permethrin*.....40.0%
INERT INGREDIENTS.....60.0%
TOTAL 100.00%

*(3-phenoxybenzyl) methyl (+)cis-trans-3-(2,2-dichlorovinyl)-2,2-dimethyl-cyclopropanecarboxylate; cis/trans isomers ratio: min 20% (+) cis and max 65% (+) trans.

NET CONTENTS: 0.5 oz (9ml) per bottle (2 bottles per package)

WARNING
KEEP OUT OF REACH OF CHILDREN

Produced and Packaged for:
DEPARTMENT OF DEFENSE
DEFENSE GENERAL SUPPLY CENTER
RICHMOND, VIRGINIA 23297-5600

PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND DOMESTIC ANIMALS

WARNING

HARMFUL IF SWALLOWED OR INHALED
CAUSES EYE IRRITATION

DO NOT APPLY TO SKIN. For military field uniform treatment only. Keep away from food, mess gear and water supplies. Thoroughly wash mess gear if contaminated with this product. Avoid breathing vapors or contact with face, eyes, or skin. Wash thoroughly after handling fluid, container, or wet treated uniform and before eating and smoking. Use protective gloves when mixing to avoid accidental exposure to concentrated permethrin should spillage occur.

STATEMENT OF PRACTICAL TREATMENT FOR EXPOSURE TO
PERMETHRIN FLUID IN SMALL BOTTLES

If on skin: Wash affected areas with soap and water.
If in eyes: Flush eyes with plenty of water. Contact physician if irritation persists.
If swallowed: Contact a physician or Poison Control Center immediately. Do not induce vomiting unless directed by a physician. Vomiting may cause aspiration pneumonia.
If inhaled: Remove person to well ventilated area. Apply artificial respiration if indicated.

ENVIRONMENTAL HAZARD
This pesticide is extremely toxic to fish and other acquatic organisms. Do not apply directly to any body of water. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Treated uniform provides protection to covered areas of the body from bites of mosquitoes, ticks, chiggers, and human body lice.

NSN 6840-01-348-0237 Military Specification MIL-I-44410

Application Procedure: Place 3/4 canteen cup of clear water into bag. Pour contents of 1 bottle Permethrin into bag. Ziplock bag and shake 2 times to mix. Unzip bag, place rolled and tied coat or trousers in bag. Ziplock, shake 2 times and let stand 2 1/2 hours or more. Unzip bag, remove garment and hang for 3 hours or until dry. When dry, garment is ready to wear. Mark uniform with date of treatment. DO NOT RE-TREAT UNIFORMS; one treatment is effective for life of the uniform. DO NOT TREAT UNDERWEAR OR CAP.
STORAGE AND DISPOSAL: Do not store below 32°F. Do not reuse empty impregnation bags or other materials. Place all used impregnation kit components in one treatment bag, zip closed and put in trash.